


trouble free vinyl floors





Your flooring

Barlinek Next Step is an absolute novelty on the vinyl panel market; its appearance and ideal structure are the result of combining our experience in the production of wooden floors with the innovative digital technology.



what sets us
apart!

the latest DLE+ surface-structuring technology

we combine advanced technology with the beauty of nature so that you can not only see but also feel the difference; thanks to the brushing process, the surface of our floors has a texture that can be felt to the touch, perfectly harmonising with the wood grain; this combination creates a **WOW effect!**

super HD digital printing technology

with Barlinek boards, we create unique wood patterns that attract everyone's attention. Next Step offers a perfect reproduction of wood shades and structure — without compromise. Thanks to the bevelled edges, the beauty of nature enters your home in a hyper-realistic style.

durable – class 34

Next Step is a guarantee of durability; thanks to the highest class of usability, our panels guarantee reliability and durability to survive even the toughest day

100% waterproof

install them in your bathroom, kitchen and hallway – no worries! Next Step is a waterproof vinyl flooring with watertight locks, which is the perfect solution for you - combining style with reliability

the only one on the market



heating mats

our floors can be installed in a floating system on underfloor heating: water, electric and on heating mats; Next Step Barlinek floors have very high thermal conductivity and very low thermal resistance, which ensures high heating efficiency



use of heavy fixtures

on floors installed in a glue-free system or adhesive, heavy items such as kitchen islands or furniture can be positioned without the need for expansion gaps around them; this allows furniture to be replaced without the need for masking or adding panels to previously cut-out areas

aesthetic values



true to nature

we know wood like no one else; thanks to advanced technology and our experience we are able to reproduce in detail the shades and structure of wood perfectly matched to its natural grain



new DLE+ technology

when manufacturing Next Step floors, we use the latest digital printing technology which allows us to achieve a brushed effect on the surface of our panels, resembling the natural structure of wood

**ultramatt varnish**

provides a subtle, natural look perfectly replicating real wood, creating an elegant and modern interior

**transparent bevels**

naturally looking cut edges with a clear wood pattern, perfectly reproduced as in wooden floors

**deep structure**

a noticeable brushed wood effect that emphasises the natural grain and gives an authentic look

practical advantages




waterproof

Next Step floors are protected against water and moisture; additional protection is provided by a waterproof lock connecting individual panels



durable – up to class 34

Next Step floors guarantees the highest durability, resistance to microscratches, abrasion and mechanical impact



stable

Next Step floors are suitable for all rooms and do not require expansion gaps on areas up to 225 m²



quiet in use

modern Barlinek vinyl floors guarantee excellent sound insulation



stain and dirt resistant

Next Step floors are covered with a varnish system resistant to everyday use




underfloor heating

our floors can be installed on water or electric underfloor heating no glue required, including on heating mats



easy renovation

Next Step floors can be laid on existing floors without the need to remove them



high load tolerance

kitchen islands and heavy furniture can be placed **on the floor!**

eco-friendly advantages



all waste generated during the production process is reused – nothing is wasted




25-year warranty

vinyl panels allow you to enjoy them for many years, just like on the first day, and eliminate all costs associated with possible replacement or repairs



safe

the materials used to manufacture the panels are hypoallergenic, which means they eliminate potential sources of allergens; Barlinek floors are therefore safe for all household members, including people with allergies



refined to perfection



top layer

resistant to stains, scratches
and abrasion



DLE+ system

brushed texture
with a natural wood look



Denscore PRO

mineral core manufactured by extruding calcium carbonate and
additives; thickness: up **to 4,5 mm**



wear layer

transparent and completely invisible wear layer of thickness up to 0,50 mm; four-sided micro bevel



digital printing in superHD quality



14F glueless lock

durable and fully waterproof, reliable click-in installation system



integrated underlay

with a thickness of **1 mm**;
load resistance **CS > 400 kPa**

total thickness idea

5 mm without integrated underlay
6 mm with integrated underlay

total thickness herringbone

5 mm without integrated underlay
6 mm with integrated underlay

total thickness forma

4,5 mm without integrated underlay
5,5 mm with integrated underlay



idea

228,6 mm x 1523 mm

idea

line

herringbone idea

127,9 mm x 639,5 mm



forma
line

forma

198 mm × 1234 mm

for family gatherings

when building relationships with your family, it's good to know that our floors can withstand even the craziest fun; from cooking together to dance marathons – Next Step floors are ready to become the stage for your greatest adventures





Antic Oak

Deep, warm brown tones with subtle grey accents give the interior a classic character.


dimensions [mm]: 228,6 x 1523

without underlay: DP5000023 | with underlay: DP5000024

Antic Oak skirting board

dimensions [mm]: 57 x 2200 x 13,4

S6029051A







Antic Oak

herringbone

A colour that combines simplicity with elegance, adding an unprecedented lightness to the interior.

dimensions [mm]: 127,9 x 639,5
without underlay: DP5000033 | with underlay: DP5000034

Antic Oak skirting board

dimensions [mm]: 57 x 2200 x 13,4
S6029051A





Silk Oak

Discover the beauty of nature in a luxurious form. A silky shade brightens the interior, creating an atmosphere of warmth and elegance that never goes out of style.

dimensions (mm): 228,6 x 1523

without underlay: DP5000039 | with underlay: DP5000040

White skirting board

dimensions [mm]: 57 x 2200 x 13,4 | 77 x 2200 x 13,4

S60 S6029551A | S80 S8029551A



Silk Oak
herringbone


This shade is synonymous with natural harmony and refined simplicity.

dimensions [mm]: 127,9 x 639,5
without underlay: DP5000029 | with underlay: DP5000030

White skirting board
dimensions [mm]: 57 x 2200 x 13,4 | 77 x 2200 x 13,4
S60 S6029551A | S80 S8029551A







Ginger Oak

A warm, golden-brown shade with delicate red tones gives the interior a cosy feel and natural, sunny energy.

dimensions [mm]: 228,6 x 1523

without underlay: DP5000013 | with underlay: DP5000014

Ginger Oak skirting board

dimensions [mm]: 57 x 2200 x 13,4

S6029531A





Ginger Oak herringbone

The natural tone of the shade brings freshness and calm to the space.

dimensions [mm]: 127,9 x 639,5

without underlay: DP5000027 | with underlay: DP5000028

Ginger Oak skirting board

dimensions [mm]: 57 x 2200 x 13,4

S6029531A

for your loved one

Do you love animals? So do we!

That's why with Next Step you can live without worrying that your beloved pet will damage your new floor; Next Step vinyl panels are exceptionally resistant to microscratches and abrasion, and thanks to the waterproof and watertight panel locks, water and other liquids are no match for them!





Diamond Oak

Light, silvery-grey tone, full of subtle reflections, exuding modern elegance.

dimensions [mm]: 228,6 x 1523

without underlay: DP5000005 | with underlay: DP5000006

White skirting board

dimensions [mm]: 57 x 2200 x 13,4 | 77 x 2200 x 13,4

S60 S6029551A | S80 S8029551A







Diamond Oak

Herringbone

Freshness and prestige in one. A cool, light tone in a herringbone pattern gives the space a modern character and luxurious minimalism.

dimensions [mm]: 127,9 × 639,5
without underlay: DP5000043 | with underlay: DP5000044

White skirting board

dimensions [mm]: 57 × 2200 × 13,4 | 77 × 2200 × 13,4
S60 S6029551A | S80 S8029551A





Cream Oak

A light shade with subtle, milky tones brings delicate elegance and cosiness to the interior.

dimensions [mm]: 228,6 x 1523

without underlay: DP5000021 | with underlay: DP5000022

Cream Oak skirting board

dimensions [mm]: 57 x 2200 x 13,4

S6029541A



Cream Oak

herringbone

A light shade with delicate cream tones gives the interior a subtle elegance.

dimensions [mm]: 127,9 × 639,5
without underlay: DP5000035 | with underlay: DP5000036

Cream Oak skirting board

dimensions [mm]: 57 × 2200 × 13,4
S6029541A



for peaceful evenings

Are you looking for the perfect floor for peaceful evenings in the comfort of your own home? Next Step is the floor for you! Why Next Step? Thanks to its exceptional heat conductivity and natural appearance, it creates a cosy atmosphere that is perfect for relaxing after a long day.






Flax Oak


The subtle and natural beige colour creates a harmonious base for any interior.

dimensions [mm]: 228,6 × 1523
without underlay: DP5000003 | with underlay: DP5000004

Flax Oak skirting board

dimensions [mm]: 57 × 2200 × 13,4
S6029521A





Flax Oak herringbone


This colour brings delicacy and a subtle, elegant glow to the interior.

dimensions [mm]: 127,9 × 639,5
without underlay: DP5000025 | with underlay: DP5000026

Flax Oak skirting board

dimensions [mm]: 57 × 2200 × 13,4
S6029521A







Balsamico Oak

A delicate shade of brown gives the room a refined and cosy feel.

dimensions [mm]: 228,6 x 1523

without underlay: DP5000001 | with underlay: DP5000002

White skirting board

dimensions [mm]: 57 x 2200 x 13,4 | 77 x 2200 x 13,4

S60 S6029551A | S80 S8029551A



White Oak

Cool colouring with subtle, milky tones brings freshness and modern lightness to the interior.

dimensions [mm]: 228,6 x 1523

without underlay: DP5000015 | with underlay: DP5000016

White skirting board

dimensions [mm]: 57 x 2200 x 13,4 | 77 x 2200 x 13,4

S60 S6029551A | S80 S8029551A



quick shower!

Next Step is a floor that will keep up with you! Waterproof vinyl panels will stop every drop; no worries, just style and durability; for those who don't have time for compromises – choose a floor that's ready for your pace!





Cinnamon Oak

A reddish-brown shade with hints of cinnamon gives the interior a cosy feel and a distinctive, slightly rustic charm.

dimensions [mm]: 228,6 x 1523

without underlay: DP5000009 | with underlay: DP5000010

White skirting board

dimensions [mm]: 57 x 2200 x 13,4 | 77 x 2200 x 13,4

S60 S6029551A | S80 S8029551A







Coffee Oak

The deep, dark brown colour brings elegance inspired by the colour of freshly brewed coffee to the interior.


dimensions [mm]: 228,6 x 1523

without underlay: DP5000011 | with underlay: DP5000012

White skirting board

dimensions [mm]: 57 x 2200 x 13,4 | 77 x 2200 x 13,4

S60 S6029551A | S80 S8029551A





Gold Oak

A rich, warm colour with intense golden tones brings luxurious splendour and elegant depth to the interior.

dimensions [mm]: 228,6 × 1523

without underlay: DP5000019 | with underlay: DP5000020

White skirting board

dimensions [mm]: 57 × 2200 × 13,4 | 77 × 2200 × 13,4

S60 S6029551A | S80 S8029551A







Desert Oak

The warm tones of golden beige and delicate brown evoke associations with a sunny landscape.

dimensions [mm]: 228,6 x 1523

without underlay: DP5000007 | with underlay: DP5000008

Desert Oak skirting board

dimensions [mm]: 57 x 2200 x 13,4

S6029511A



Desert Oak

herringbone

The natural shade brings balance, enveloping the interior with pleasant warmth.

dimensions [mm]: 127,9 x 639,5

without underlay: DP5000031 | with underlay: DP5000032

Desert Oak skirting board

dimensions [mm]: 57 x 2200 x 13,4

S6029511A





Sand Oak

A warm shade of beige with subtle golden tones gives the interior a natural charm and cosy elegance.


dimensions [mm]: 228,6 x 1523

without underlay: DP5000017 | with underlay: DP5000018

Desert Oak skirting board

dimensions [mm]: 57 x 2200 x 13,4

S6029511A







Vanilla Oak

Subtle harmony in its purest form. A vanilla hue envelops the space with calm and lightness, bringing an aura of cozy luxury into the home.

dimensions [mm]: 228,6 x 1523

without underlay: DP5000037 | with underlay: DP5000038

White skirting board

dimensions [mm]: 57 x 2200 x 13,4 | 77 x 2200 x 13,4

S60 S6029551A | S80 S8029551A





Vanilla Oak

Herringbone

Delicacy meets design. A vanilla hue in a herringbone pattern combines subtlety and sophistication – perfect for interiors that aim to impress.

dimensions [mm]: 127,9 x 639,5

without underlay: DP5000045 | with underlay: DP5000046

White skirting board

dimensions [mm]: 57 x 2200 x 13,4 | 77 x 2200 x 13,4

S60 S6029551A | S80 S8029551A



Tea Oak

Natural charm that soothes the senses. A tea-toned shade brings warmth and balance to the interior, creating a space full of harmony and style.

dimensions [mm]: 228,6 × 1523

without underlay: DP5000041 | with underlay: DP5000042

White skirting board

dimensions [mm]: 57 × 2200 × 13,4 | 77 × 2200 × 13,4

S60 S6029551A | S80 S8029551A





Tea Oak

Herringbone

Classic design with a modern twist. The herringbone pattern in a tea-toned shade gives the interior a distinctive rhythm and timeless elegance that catches the eye.

dimensions [mm]: 127,9 x 639,5

without underlay: DP5000047 | with underlay: DP5000048

White skirting board


dimensions [mm]: 57 x 2200 x 13,4 | 77 x 2200 x 13,4


S60 S6029551A | S80 S8029551A



first steps

Little feet are a source of great joy, and our flooring is the perfect surface for those first steps; soft to the touch, safe and friendly – thanks to it, every step your little one takes will be sure and comfortable









Amber Oak

Introduces natural freshness, emphasising the cosiness of the room.

dimensions [mm]: 198 x 1234
without underlay: DP3000001 | with underlay: DP3000002

Antic Oak skirting board

dimensions [mm]: 57 x 2200 x 13,4
S6029051A





Honey Oak

The golden colour brings cosy elegance and a friendly glow to any interior.

dimensions [mm]: 198 x 1234
without underlay: DP3000003 | with underlay: DP3000004

White skirting board

dimensions [mm]: 57 x 2200 x 13,4 | 77 x 2200 x 13,4
S60 S6029551A | S80 S8029551A



for a good morning

Do you start your day at full speed?

Barlinek Next Step is a step towards a successful morning! Durable, stylish and ready for anything the day brings; for those who simply value comfort before their morning coffee





Arctic Oak

The cool shade brings freshness and spaciousness to any interior.


dimensions [mm]: 198 × 1234

without underlay: DP3000005 | with underlay: DP3000006

White skirting board

dimensions [mm]: 57 × 2200 × 13,4 | 77 × 2200 × 13,4

S60 S6029551A | S80 S8029551A





Peach Oak

Natural tones envelop the room with a sense of subtlety and charm.

dimensions [mm]: 198 x 1234


without underlay: DP3000009 | with underlay: DP3000010

Flax Oak skirting board

dimensions [mm]: 57 x 2200 x 13,4

S6029521A







Barley Oak

Its delicate tones create a warm, cosy atmosphere, combining elegance with natural charm.

dimensions [mm]: 198 x 1234

without underlay: DP3000011 | with underlay: DP3000012

White skirting board

dimensions [mm]: 57 x 2200 x 13,4 | 77 x 2200 x 13,4

S60 S6029551A | S80 S8029551A





Apricot Oak

A delicate warm tone enveloping the interior with subtle harmony; gives the space a sense of calm and cosiness, creating a unique atmosphere.

dimensions [mm]: 198 x 1234

without underlay: DP3000013 | with underlay: DP3000014

Flax Oak skirting board

dimensions [mm]: 57 x 2200 x 13,4

S6029521A





Coconut Oak

This shade exudes calm, creating a balanced atmosphere.

dimensions [mm]: 198 x 1234

without underlay: DP3000017 | with underlay: DP3000018

White skirting board

dimensions [mm]: 57 x 2200 x 13,4 | 77 x 2200 x 13,4


S60 S6029551A | S80 S8029551A



for crazy parties

if evenings turn into crazy nights, you need
flooring that can handle it! Barlinek Next Step
guarantees durability and style, no matter
how crazy your guests are







Wheat Oak

Brings balance and calm elegance to the interior.

dimensions [mm]: 198 x 1234

without underlay: DP3000019 | with underlay: DP3000020

White skirting board

dimensions [mm]: 57 x 2200 x 13,4 | 77 x 2200 x 13,4

S60 S6029551A | S80 S8029551A



Pearl Oak

A delicate and calm colour that gives the interior a unique atmosphere.

dimensions [mm]: 198 × 1234

without underlay: DP3000021 | with underlay: DP3000022

White skirting board

dimensions [mm]: 57 × 2200 × 13,4 | 77 × 2200 × 13,4

S60 S6029551A | S80 S8029551A



for your dream home

vinyl flooring is an investment in beauty,
peace and comfort for many years to come









Almond Oak

Enveloping the room in soft, creamy tones, the floor creates a harmonious and welcoming atmosphere.

dimensions [mm]: 198 x 1234

without underlay: DP3000007 | with underlay: DP3000008

White skirting board

dimensions [mm]: 57 x 2200 x 13,4 | 77 x 2200 x 13,4

S60 S6029551A | S80 S8029551A







Sunny Oak

The charm of this shade reflects the beauty of nature in every detail.

dimensions [mm]: 198 x 1234

without underlay: DP3000015 | with underlay: DP3000016

Antic Oak skirting board

dimensions [mm]: 57 x 2200 x 13,4

88 S6029051A



Brass Oak

A colour full of depth and balance, bringing harmony and comfort to the interior.

dimensions [mm]: 198 x 1234

without underlay: DP3000023 | with underlay: DP3000024

White skirting board

dimensions [mm]: 57 x 2200 x 13,4 | 77 x 2200 x 13,4

S60 S6029551A | S80 S8029551A



for a moment of peace

Next Step is a true master in creating a cosy atmosphere – quiet and comfortable floors, ready to transform every step into a pleasure; see, touch and discover how little it takes to bring peace to your interior





skirting boards

PVC skirting boards – foiled

Very durable skirting boards; resistant to chemicals, corrosion and moisture; decorative surface and edges covered with foil; the skirting board does not require additional protection or painting and is colour-matched to the Next Step floor.



Cream Oak
S6029541A



Ginger Oak
S6029531A



Flax Oak
S6029521A



Desert Oak
S6029511A



Antic Oak
S6029051A



high resistance to
dirt and scratches



easy installation
with clips



space for
cables




high resistance
to moisture




natural wood
look



can be painted



White S80
S6029551A



White S60
S6029551A

if you have to, then clean up

and then go do something fun :)

Next Step offers freedom – simple care: sweeping, vacuuming and wiping the floor with a slightly damp mop and a suitable cleaning agent, e.g. Protektor Komplet or Protektor Koncentrat, is all you need; spilled juice? Quick action and the job is done – the floor looks great again; Enjoy what's important – leave the rest to Next Step!





pp. 20-21

Antic Oak idea
without underlay: DP5000023
with underlay: DP5000024



pp. 22-23

Antic Oak idea herringbone
without underlay: DP5000033
with underlay: DP5000034



pp. 24-25

Silk Oak idea
without underlay: DP5000039
with underlay: DP5000040



pp. 26-27

Silk Oak idea herringbone
without underlay: DP5000029
with underlay: DP5000030



pp. 28-29

Ginger Oak idea
without underlay: DP5000013
with underlay: DP5000014



pp. 30-31

Ginger Oak idea herringbone
without underlay: DP5000027
with underlay: DP5000028



pp. 34-35

Diamond Oak idea
without underlay: DP5000005
with underlay: DP5000006



pp. 36-37

Diamond Oak idea herringbone
without underlay: DP5000043
with underlay: DP5000044



pp. 38-39

Cream Oak idea
without underlay: DP5000021
with underlay: DP5000022



pp. 40-41

Cream Oak idea herringbone
without underlay: DP5000035
with underlay: DP5000036



pp. 44-45

Flax Oak idea
without underlay: DP5000003
with underlay: DP5000004



pp. 46-47

Flax Oak idea herringbone
without underlay: DP5000025
with underlay: DP5000026



pp. 48-49

Balsamico Oak idea
without underlay: DP5000001
with underlay: DP5000002



pp. 50-51

White Oak idea
without underlay: DP5000015
with underlay: DP5000016



pp. 54-55

Cinnamon Oak idea
without underlay: DP5000009
with underlay: DP5000010



pp. 56-57

Coffee Oak idea
without underlay: DP5000011
with underlay: DP5000012



pp. 58-59

Gold Oak idea
without underlay: DP5000019
with underlay: DP5000020



pp. 60-61

Desert Oak idea
without underlay: DP5000007
with underlay: DP5000008



pp. 62-63

Desert Oak idea herringbone
without underlay: DP5000031
with backing: DP5000032



pp. 64-65

Sand Oak idea
without underlay: DP5000017
with underlay: DP5000018



pp. 66-67

Vanilla Oak idea
without underlay: DP5000037
with underlay: DP5000038



pp. 68-69

Vanilla Oak idea herringbone
without underlay: DP5000045
with underlay: DP5000046



pp. 70-71

Tea Oak idea
without underlay: DP5000041
with underlay: DP5000042



pp. 72-73

Tea Oak idea herringbone
without underlay: DP5000047
with underlay: DP5000048



pp. 76-77

Amber Oak forma
without underlay: DP3000001
with underlay: DP3000002



pp. 78-79

Honey Oak forma
without underlay: DP3000003
with underlay: DP3000004



pp. 82-83

Arctic Oak forma
without underlay: DP3000005
with underlay: DP3000006



pp. 84-85

Peach Oak forma
without underlay: DP3000009
with underlay: DP3000010



pp. 86-87

Barley Oak forma
without underlay: DP3000011
with underlay: DP3000012



pp. 88-89

Apricot Oak forma
without underlay: DP3000013
with underlay: DP3000014



pp. 90-91

Coconut Oak forma
without underlay: DP3000017
with underlay: DP3000018



pp. 94-95

Wheat Oak forma
without underlay: DP3000019
with underlay: DP3000020



pp. 96-97

Pearl Oak forma
without underlay: DP3000021
with underlay: DP3000022



pp. 100-101

Almond Oak forma
without underlay: DP3000007
with underlay: DP3000008



pp. 102-103

Sunny Oak forma
without underlay: DP3000015
with underlay: DP3000016



pp. 104-105

Brass Oak forma
without underlay: DP3000023
with underlay: DP3000024



Barlinek S.A.
al. Solidarności 36, 25-323 Kielce, Poland
Phone: +48 41 333 11 00
Fax: +48 41 333 00 00
e-mail: info@barlinek.com.pl

barlinek.com